

# **“MLL” Accessibility Conformance Report**

## **WCAG Edition**

(Based on VPAT® Version 2.4Rev)

**Name of Product/Version:** Medical Language Lab Version 6.0.2, updated on Dec 12, 2022

**Report Date:** 6<sup>th</sup> January, 2023

**Product Description:** LMS for creating/managing online learning for medical terminology

**Contact Information:** LearningMate Solutions Pvt. Ltd., 74 Techno Park, Levels 6-10, 74/II, MIDC Marol, 400093, Seepz, Andheri East, Mumbai, Maharashtra, India

**Notes:** Preliminary accessibility testing has been performed as per the defined scope to get an overview of issues

**Evaluation Methods Used:** Manual and automated, using Windows 10, Firefox, NVDA, CCA, Nu Html Checker, axe DevTools, browser developer tools

### **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No)

## Terms

The terms used in the Conformance Level information are defined as follows:

**Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

**Partially Supports:** Some functionality of the product does not meet the criterion.

**Does Not Support:** The majority of product functionality does not meet the criterion.

**Not Applicable:** The criterion is not relevant to the product.

**Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<a href="#">1.1.1 Non-text Content</a> (Level A)	Partially Supports	No alt text present for the mic icons in the Audio Generation Exercises' Instructions page No alt text present for the images in the EMR Workout Exercises
<a href="#">1.2.1 Audio-only and Video-only (Prerecorded)</a> (Level A)	Does Not Support	Audio recordings at the beginning of Exercises do not have text alternative
<a href="#">1.2.2 Captions (Prerecorded)</a> (Level A)	Supports	Closed captions present for videos
<a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)	Not Applicable	The audio, along with closed captions, is enough to understand video contents
<a href="#">1.3.1 Info and Relationships</a> (Level A)	Partially Supports	Word Search Exercises' word grid is not implemented semantically Font icons in the Pronounce It Exercises' Instructions page do not have the required semantics
<a href="#">1.3.2 Meaningful Sequence</a> (Level A)	Partially Supports	Crossword Exercises' text boxes are not ordered and are not readable by screen reader in a meaningful way
<a href="#">1.3.3 Sensory Characteristics</a> (Level A)	Partially Supports	Some Exercises' Instruction page asks to "click on the Record icon" when the actual button is named Start/Stop Recording
<a href="#">1.4.1 Use of Color</a> (Level A)	Supports	Nothing in this application relies solely on colour to convey information
<a href="#">1.4.2 Audio Control</a> (Level A)	Not Applicable	No such content
<a href="#">2.1.1 Keyboard</a> (Level A)	Partially Supports	Almost none of the Exercises under Practice – Build Medical Words (drag-and-drop), Word Search (click-and-drag), Flash Cards, etc. – are keyboard-operable
<a href="#">2.1.2 No Keyboard Trap</a> (Level A)	Supports	No keyboard (focus) trap
<a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 only)	Not Applicable	No single-key shortcuts
<a href="#">2.2.1 Timing Adjustable</a> (Level A)	Not Applicable	No such content
<a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)	Not Applicable	No such content
<a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)	Not Applicable	No such content

Criteria	Conformance Level	Remarks and Explanations
<a href="#">2.4.1 Bypass Blocks</a> (Level A)	Supports	Skip links working properly
<a href="#">2.4.2 Page Titled</a> (Level A)	Supports	Pages are appropriately titled
<a href="#">2.4.3 Focus Order</a> (Level A)	Partially Supports	Crossword Exercises' text boxes are not receiving focus in a meaningful way
<a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)	Supports	Meaning of link texts can be determined in context
<a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 only)	Does Not Support	The click-and-drag Exercises (Word Search, Word Break) require path-based gestures and are not click-operable
<a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 only)	Supports	Works as expected
<a href="#">2.5.3 Label in Name</a> (Level A 2.1 only)	Supports	UI components have accessible name which matches with their visual label
<a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 only)	Not Applicable	Out of scope
<a href="#">3.1.1 Language of Page</a> (Level A)	Supports	Marked correctly as 'en' for English for all pages
<a href="#">3.2.1 On Focus</a> (Level A)	Supports	No context change on focus
<a href="#">3.2.2 On Input</a> (Level A)	Supports	No context change on input
<a href="#">3.3.1 Error Identification</a> (Level A)	Supports	All input error items are identified in text
<a href="#">3.3.2 Labels or Instructions</a> (Level A)	Partially Supports	Text boxes in the Crossword Exercises do not have accessible name
<a href="#">4.1.1 Parsing</a> (Level A)	Partially Supports	Disallowed mark-up used in several places; e.g., in the Classes page, the Expired tab's <code>aria-controls</code> points to a non-existent element.
<a href="#">4.1.2 Name, Role, Value</a> (Level A)	Partially Supports	Stand-alone <code>role="tabpanel"</code> in the Assignments page Details buttons in the Assignments page not accessible Crossword Exercises' cues (questions) are clickable but they are not buttons – they are <code>divs</code> without any <code>role</code>

## Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<a href="#">1.2.4 Captions (Live)</a> (Level AA)	Not Applicable	No such content
<a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)	Not Applicable	The audio, along with closed captions, is enough to understand the video contents
<a href="#">1.3.4 Orientation</a> (Level AA 2.1 only)	Not Applicable	Out of scope (only desktop devices are in scope)
<a href="#">1.3.5 Identify Input Purpose</a> (Level AA 2.1 only)	Not Applicable	No input field collects information about the user
<a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)	Partially Supports	The logged in user's information at the top-right of every page fails contrast ratio requirements.
<a href="#">1.4.4 Resize text</a> (Level AA)	Supports	Text can be resized upto 200% without loss of content or functionality
<a href="#">1.4.5 Images of Text</a> (Level AA)	Does Not Support	Images of text used in the EMR Workout Exercises; the information in these images are indispensable to solving the Exercise
<a href="#">1.4.10 Reflow</a> (Level AA 2.1 only)	Does Not Support	Scrolling in two dimensions at 400% zoom
<a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 only)	Partially Supports	Some UI components' focus indicator does not have proper contrast
<a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 only)	Partially Supports	Text overlap at 400% zoom with text spacing in the Discussion Board table in the Dashboard page
<a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 only)	Does Not Support	The 'i' icons in the Assignments page show a tooltip which is neither dismissable nor hoverable
<a href="#">2.4.5 Multiple Ways</a> (Level AA)	Not Applicable	Navigation links are dynamically made available based on which Class is selected/which activity is being performed
<a href="#">2.4.6 Headings and Labels</a> (Level AA)	Partially Supports	The 'i' icons in the Assignments page do not have a proper accessible name
<a href="#">2.4.7 Focus Visible</a> (Level AA)	Supports	Focus indicator is visible on keyboard operation
<a href="#">3.1.2 Language of Parts</a> (Level AA)	Not Applicable	No such content
<a href="#">3.2.3 Consistent Navigation</a> (Level AA)	Supports	Navigation links are consistently ordered across all pages
<a href="#">3.2.4 Consistent Identification</a> (Level AA)	Supports	Relevant components are consistently identified across pages

Criteria	Conformance Level	Remarks and Explanations
<a href="#">3.3.3 Error Suggestion</a> (Level AA)	Supports	Input errors are identified and corrections suggested
<a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)	Supports	Dialogue boxes are presented to review or confirm responses before submission of Assessments
<a href="#">4.1.3 Status Messages</a> (Level AA 2.1 only)	Partially Supports	Dynamic changes in most of the Exercises under Practice – Build Medical Words (drag-and-drop), Word Search (click-and-drag), Flash Cards, <i>etc.</i> – are not reported

**Table 3: Success Criteria, Level AAA**

Notes: **Not Evaluated**

## Legal Disclaimer (LearningMate)

This Accessibility conformance report, presented in the form of VPAT, is provided by LearningMate at the time of the audit/review and does not represent a legally-binding claim. Any change in the source will need a revision in this VPAT, else this will stand null and void. The compliance is based on the knowledge, experience, and best judgement at the time of audit/review. Any 3<sup>rd</sup> party tool used will have its own VPAT and the limitations listed there; LearningMate will not be responsible for any patch/updates on tools, assistive technologies, browsers, operating systems, *etc.* in future or versions not used in this audit/review. No warranties or guarantees are implied and LearningMate shall not be liable for any special, indirect, incidental, consequential, punitive, or exemplary damages based on this work.